



SAN
REMO



PRINCIPAL CHARACTERISTICS

Classification

CE

Length overall (Fixed Platform)

15.74m, 51'8"

Length overall (Lifting Platform)

16.17m, 53'1"

Beam

4.30m, 14'1"

Draft

1.3m, 4'3"

Displacement

16,566kg, 36,522lb

Fuel capacity

1,320 litres, 349 US gal.

Fresh water capacity

322 litres, 85 US gal.

Accommodation

Up to 4 + 1 guests

Engine options

Up to 870PS

Performance

Up to 30 knots

Range

Up to 300 nautical miles

Drives

Pod drives

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP

Gel coat including stripes

Vinylester skin coat with powderbound mat

Stitched multi-axial reinforced single-skin bottom

Balsa-cored hull topsides

PVC foam-cored deck and superstructure

Hull stiffened with longitudinal stringers supported

by transverse bulkheads and floors

Antifouling

2 Deck

Moulded non-slip deck finish

Fittings all in stainless steel

Pulpit and cockpit rails

Stainless steel fendering with rubber insert

8 stainless steel cleats

Electric anchor winch and capstan with deck and cockpit controls

Stainless steel bow roller with anchor stop

Delta anchor and 30 metre chain (galvanised)

Chain locker with fender storage

IMCO navigation lights

Fuel filler

Fresh water filler

Foldaway swimming ladder

Teak-laid bathing platform and steps

Hot and cold swimming shower

Ensign staff and socket

Fender tie bar under anchor locker lid

3 Cockpit

Teak cockpit sole, steps and platform

Self-draining

Safety door

Full wetbar with hot and cold water and cool-box

Dinette seating

Teak table

Folding teak helm seat

Co-pilot seating area

Chart table

Large stern sunbather over garage space

Glass holders

Overhead cockpit lights 12v

Low-level cockpit lights 12v

4 Helm Console

Console with burr-type walnut fascia

Radar

Autopilot

VHF radio

Leather and chrome steering wheel

Single lever controls

Full analogue engine instrumentation

Speed and depth sounder display

Fuel gauge

Fresh water gauge

Compass

Horn

Trim tab controls

Waterproof plug and socket

2 windscreen wipers and washers

Fire extinguisher

Glass holders

5 Main Cabin/Saloon

Large folding dinette

Flatscreen television 32"

DVD/Blu-ray/radio 2:1 sound system

Radio/CD with speakers for the cockpit

Stowage beneath seats

Drinks cupboard

Overhead halogen lights 12v

Opening portholes within panoramic

windows with mosquito screens and blinds

Deck hatch

Main switch and circuit breaker panel (AC/DC)

Double AC socket

Choice of interior finishes and veneers

Scatter cushions

Fitted carpet

Wooden steps

6 Galley

Electric refrigerator

Electric twin hob

Microwave

Hot and cold water

6 place crockery set

6 place cutlery set

Cupboard storage and drawers

Opening porthole with mosquito screen and blind

Double AC socket

Hand-held fire extinguisher

First aid kit

Rubbish bin

7 Master Aft Stateroom

Double bed

Storage lockers

2 x reading lights 12v

Hanging wardrobe

Overhead halogen lighting

Large side windows and blinds

Settee

Door to toilet/shower

Two double AC socket

Flatscreen television 32"

DVD/CD/radio with stereo speakers

Fitted carpet

8 Master En Suite Toilet Compartment

Washbasin

Taps and accessories

Hot and cold water

Mirrored vanity unit

Toothbrush glass holder

Soap dish

Towel ring

Stowage cupboard

Electric toilet

Shower compartment

Overhead lights

Opening porthole with mosquito screen and curtain

Razor socket 240/110v

9 Twin Forward Cabin

Two single V berths to swing and make double

Under-berth storage

Hanging wardrobe

Storage cupboard

Deck hatch

Overhead halogen lighting

2 x reading lights

Opening portholes within panoramic windows with mosquito screens

Double AC socket

Flatscreen television 22"

DVD/CD/radio with stereo speakers

Fitted carpet

STANDARD
SPECIFICATIONS... CONTINUED

10 En Suite Toilet Compartment

Washbasin
Taps and accessories
Hot and cold water
Mirrored vanity unit
Toothbrush glass holder
Soap dish
Towel ring
Shower
Overhead lights
Electric toilet
Opening porthole with mosquito screen and curtain
Razor socket 240/110v

11 Engine Compartment and Ancillaries

Soundproofing throughout
Fuel filters/water separator to engines and generators
FM200 manual/auto fire exit system
Automatic bilge & flood pumps with high-level alarms
Air-extraction fans – 24v
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water materials

12 Electrical System

Slow speed generator with underwater silent exhaust system
AC dockside connection
Galvanic isolator
24v DC electrical system with full circuit breaker protection
4 x engine batteries
4 x domestic batteries
2 x generator batteries
Alternator split-charging system
Battery switches controlled from locker in cockpit
Battery charger
Water heater
AC sockets throughout the boat

13 Underwater Gear

Volvo Penta IPS drive system
Valves to all underwater skin fittings
Sea water strainers to engines and generators
Full cathodic bonding system to zinc anodes
Stainless steel trim tabs

14 Systems

Electric toilet system – 24v
Aluminium freshwater tank
GRP fuel tank
Freshwater pressure system – 24v
Calorifier – 240v
Grey water stump box and discharge pump – 24v
Bilge pump system
FM200 manual/auto fire exit system
Auxiliary hydraulics
Hydraulic power steering

15 Miscellaneous

2 sets towels
2 x mooring warps
6 x fenders

Optional Extras

Air conditioning
Upgraded generator
Bow thruster
Hydraulic lifting platform – maximum capacity for platform and garage combined 350kg/772lb

Disclaimer

**Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.*

